EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	781	324/663.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/06 15:15
S2	1	S1 and (optical with (disk or disc) with inspection)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/06 15:16
S3	7	(optical with (disk or disc) with inspection) and (capacitance with sens $4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/06 15:17
S4	8	S1 and (inspection with system)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/06 15:18
S5	16	(package with inspection with capacitance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/06 15:19
S6	338	(inspection with capacit$4) and conveyor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/06 15:20
S7	142	324/672.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/06 15:26
S8	0	324/672.ccls. and (potentiometer with balance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/06 15:38

S9	21	324/672.ccls. and (potentiometer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/06 15:38
S10	23	324/672.ccls. and (quiescent or balance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/06 15:58
S11	0	324/&.ccls. and ((quiescent or balance) with potentiometer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/06 16:01
S12	0	324/&.ccls. and ((quiescent or balance) with (variable adj resistor))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/06 16:02
S13	194	"324"/$.ccls. and ((quiescent or balance) with (variable adj resistor))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/06 16:02
S14	772	"324"/$.ccls. and ((quiescent or balance) with potentiometer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/06 16:02
S15	6	"324"/$.ccls. and ((quiescent or balance) with potentiometer with calibrate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/06 16:03
S16	2	"324"/$.ccls. and ((quiescent or balance) with potentiometer with midpoint)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/06 16:03
S17	26	"324"/$.ccls. and ((quiescent or balance) with midpoint)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/06 16:04

S18	5	(quiescent with operat$3) with (potentiometer with (motor or stepper or servo$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/06 16:07
S19	6	(quiescent with operat$3) with calibrate	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/06 16:08
S20	65	(quiescent with operat$3) with calibrat $3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/06 16:09
S21	18	(balance with comparator with input with potentiometer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/06 16:11
S22	71	(balance with comparator with potentiometer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/06 16:21
S23	0	(poteniometer with balance with servo)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/06 16:34
S24	311	(potentiometer with balance with servo)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/06 16:34
S25	15	(potentiometer with balance with servo with (center or middle or midpoint))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/06 16:34
S26	19	(potentiometer with balance with calibrate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/06 16:38

S27	38	(potentiometer with balance with high with low)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/06 16:49
S28	0	(potentiometer with balance with setpoints)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/06 16:54
S29	4	(potentiometer with balance with trip)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/06 16:54
S30	17	(potentiometer with balance with midpoint)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/06 16:55
S31	0	((potentiometer with balance with midpoint) same comparator)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/06 16:55
S32	1	(potentiometer with balance with midpoint) with compar$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/06 16:55
S33	17	(potentiometer with balance with midpoint)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/06 16:56
S34	5	(potentiometer with calibrate with reference with signal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/06 16:58
S35	4	(potentiometer with calibrate with middle)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/06 16:59

S36	0	(potentiometer with calibrate with center with balance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/06 17:00
S37	355	(potentiometer with calibrat$4 with balanc$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/06 17:01
S38	28	(potentiometer with calibrat$4 with balanc$3 with adjust)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/06 17:01
S39	1	(potentiometer with midpoint with full with range)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/06 17:05
S40	131320	(potentiometer balance with full with range)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/06 17:06
S41	5	(potentiometer with balance with full with range)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/06 17:06
S42	3	(adjust with resistance with balance with comparator)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/06 17:07
S43	5	(balance with comparator with midpoint)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/06 17:09
S44	9	(balance with comparator with calibrate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/06 17:09

S45	2	(balance with reference with signal with quiescent)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/06 17:10
S46	14	(balance with reference with quiescent)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/06 17:11
S47	0	(potentiometer with endpoints with calibrate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/06 17:12
S48	0	(calibrate with midpoint with operating with range)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/06 17:17
S49	7	(calibrate with midpoint with range)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/06 17:17
S50	11	(quiescent with midpoint with range)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/06 17:19
S51	82	(quiescent with midpoint)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/06 17:19
S52	0	(quiescent with midpoint with calibrat$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/06 17:19
S53	1	(quiescent with midpoint) same calibrat$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/06 17:19

S54	11	(deadband with midpoint)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/07 13:17
S55	3	(deadband with center with potentiometer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/07 13:21
S56	0	(deadband with middle with potentiometer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/07 13:22
S57	12941	(two with position with controller)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/07 14:42
S58	1	(two with position with controller with deadband)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/07 14:42
S59	122	(two adj position adj controller)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/07 14:43
S60	0	(two adj position adj controller) same calibrat$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/07 14:44
S61	43	beck.as. and actuator	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/07 14:44
S62	0	(setpoint with deadband with poteniometer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/07 14:48

S63	4	(setpoint with deadband with potentiometer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/07 14:49
S64	0	(deadband with comparator with balance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/07 14:50
S65	2	(deadband with comparator with center)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/07 14:50
S66	54	(deadband near4 (center or middle))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/07 14:51
S67	111	(deadband near4 (center or middle or half))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/07 14:57
S68	244	((deadband or (dead adj band)) near4 (center or middle or half))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/07 15:07
S69	6	((deadband or (dead adj band)) near4 (center or middle or half)) with locat$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/07 15:07
S70	17	((deadband or (dead adj band)) near4 (center or middle or half)) with adjust$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/07 15:08
S71	5	((deadband or (dead adj band)) near4 (center or middle or half)) with setpoint	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/07 15:10

S72	9	"1164380"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/07 15:16
S73	1494	324/663,672,673,679,680.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/07 19:11
S74	6	S73 and (defect with compar$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/07 19:11
S75	51	S73 and defect	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/07 19:12
S76	371	324/679.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/07 19:21
S77	22	("3824459" | "4039940").PN. OR ("4187460").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/06/07 19:39
S78	13	("3012192" | "3077544" | "3116458" | "3201641" | "3474259" | "3577072").PN. OR ("3775687").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/06/07 19:44
S79	188	324/680.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/07 19:46
S80	143	324/672.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/07 19:50
S81	25	("3729728" | "3732553" | "3860918").PN. OR ("4752727").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/06/08 09:09
S82	1494	324/663,672,673,679,680.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/08 09:27

S83	5	S82 and ((reference or test) near3 (material or substance or sample)) with compare	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/08 09:27
S84	160	S82 and ((reference or test) near3 (material or substance or sample))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/08 09:28
S85	1	"19843749"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/08 10:31
S86	11	"2097084"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/08 10:36
S87	15	"1336838"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/08 10:37
S88	2	"2003180989".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/08 10:38
S89	9	"5714998"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/08 10:39
S90	0	calibrat$ with (center or middle or half) with sepoint with deadband	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/08 11:11
S91	0	calibrat$ same (center or middle or half) with sepoint with deadband	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/08 11:11

S92	0	(center or middle or half) with sepoint with deadband	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/08 11:12
S93	11	(center or middle or half) with setpoint with deadband	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/08 11:12
S94	11	(center or middle or half or midpont) with setpoint with deadband	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/08 11:13
S95	2	(center or middle or half or midpoint) with setpoint with (operating adj range)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/08 11:14
S96	6	324/663,672,673,679,680.ccls. and (servo with potentiometer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/08 15:18
S97	19	324/663,672,673,679,680.ccls. and (automatic with calibration)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/08 15:40
S98	9	"5714998"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/08 15:58
S99	2	"5714998".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/08 15:58
S100	14	("3894806" | "4209802" | "5256871" | "5305099" | "5311304" | "5452080" | "5532739").PN. OR ("5714998"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/06/08 15:58
S101	1	xiris.as.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/06/08 16:05
S102	45	Basler.as.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/06/08 16:08

S103	5	(test with location with stop with conveyor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/08 16:20
S104	20	(calibrat$3 with stop with conveyor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/08 16:22
S105	198	(sens$3 with (product or package or item) with stop with (conveyor or belt))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/08 16:25
S106	0	(inpec$3 with stop with conveyor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/08 16:37
S107	87	(inspec$3 with stop with conveyor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/08 16:37
S108	9	(inspec$3 with station with stop with conveyor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/08 16:37
S109	87	(inspec$3 with stop with conveyor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/08 16:38
S110	101	(inspec$3 with stop with (conveyor or belt))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/08 16:54
S111	14	(inspec$3 with stop with (conveyor or belt) and (not S109)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/08 16:54

S112	2729	(stop near3 member) with (belt or conveyor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/08 16:55
S113	6	S112 with (calibrat$3 or inspect$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/08 16:56
S114	54	S112 with sensor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/08 16:58
S115	66	324/663,672,673,679,680.ccls. and (belt or conveyor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/08 17:01
S116	576	(stop with (belt or conveyor) with measur$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/08 17:09
S117	121	((stop with (belt or conveyor) with measur$4) same start$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/08 17:10
S118	117	(video with inspect$3) with conveyor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/08 17:23
S119	135	(video with inspect$3) with (conveyor or belt)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/08 17:23
S120	0	(video with inspect$3) with (conveyor or belt) with learn	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/08 17:23

S121	0	(video with inspect$3) with (conveyor or belt) with (learn$3 or teach$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/08 17:23
S122	719	((video or camera) with inspect$3) with (conveyor or belt)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/08 17:24
S123	7	((video or camera) with inspect$3) with (conveyor or belt) with (learn$3 or teach$3 or train$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/08 17:25
S124	1304	(inspection adj station) with (conveyor or belt)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/08 17:30
S125	32	(inspection adj station) with (conveyor or belt) with stop	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/08 17:31
S126	18	("4496971" | "5157762" | "5663569" | "5697699").PN. OR ("6477266"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/06/08 17:47
S127	3	"3,327,207".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/09 09:35
S128	1	324/663,672,673,679,680.ccls. and (servo with potentiometer with switch)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/09 09:39
S129	26	(switch with initiate with calibration with process)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/09 09:54
S130	2	"20090009192".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/09 11:44

S131	11	(inspection with station with parallel with plate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/09 14:54
S132	2	(inspection with station with capacitor with plate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/09 14:55
S133	51	(inspection with capacitor with plate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/09 14:56
S134	8	("3965416" | "4223751" | "4461363" | "4710757" | "5461319" | "5602486" | "5668309").PN. OR ("6504387").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/06/09 14:59
S135	265	(capacitive with inspect$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2011/06/09 15:02
S136	4327	(capacit$4 with inspect$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2011/06/09 15:02
S137	1066	S136 and (defect or flaw)	US-PGPUB; USPAT; USOCR	OR	OFF	2011/06/09 15:03
S138	414	S137 and plate	US-PGPUB; USPAT; USOCR	OR	OFF	2011/06/09 15:03
S139	38	S138 and slot	US-PGPUB; USPAT; USOCR	OR	OFF	2011/06/09 15:03
S140	1	(inspection with station with receptacle with sample)	US-PGPUB; USPAT; USOCR	OR	OFF	2011/06/09 15:10
S141	25	(inspect$3 with receptacle with sample)	US-PGPUB; USPAT; USOCR	OR	OFF	2011/06/09 15:10
S142	762	(impedance with inspection)	US-PGPUB; USPAT; USOCR	OR	OFF	2011/06/09 15:14
S143	0	S142 with (drawer or receptacle)	US-PGPUB; USPAT; USOCR	OR	OFF	2011/06/09 15:15
S144	3	S142 with slot	US-PGPUB; USPAT; USOCR	OR	OFF	2011/06/09 15:15
S145	23	S142 with capacitance	US-PGPUB; USPAT; USOCR	OR	OFF	2011/06/09 15:15
S146	26688	(dielectric with measur$4)	US-PGPUB; USPAT; USOCR	OR	OFF	2011/06/09 15:18
S147	11357	(dielectric with measur$4) and plate	US-PGPUB; USPAT; USOCR	OR	OFF	2011/06/09 15:18
S148	4492	(dielectric with measur$4) and plate and capacitor	US-PGPUB; USPAT; USOCR	OR	OFF	2011/06/09 15:18
S149	585	(dielectric with measur$4) and plate and capacitor and (receptacle or slot or drawer)	US-PGPUB; USPAT; USOCR	OR	OFF	2011/06/09 15:19

S150	307	(dielectric with measur$4) and plate and capacitor and (receptacle or slot or drawer) and (between with plate)	US-PGPUB; USPAT; USOCR	OR	OFF	2011/06/09 15:19
S151	5284	(dielectric with measur$4) with (device or system or apparatus)	US-PGPUB; USPAT; USOCR	OR	OFF	2011/06/09 15:30
S152	39	(dielectric with measur$4) with (device or system or apparatus) and eject	US-PGPUB; USPAT; USOCR	OR	OFF	2011/06/09 15:30
S153	3152	(dielectric with measur$4) and (between with plates)	US-PGPUB; USPAT; USOCR	OR	OFF	2011/06/09 15:31
S154	70	(dielectric with measur$4) and ((between with plates) with (slot or opening or channel))	US-PGPUB; USPAT; USOCR	OR	OFF	2011/06/09 15:32
S155	23	("3427537" | "3648165" | "4399404"). PN. OR ("4584522").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/06/09 15:38
S156	53	(dielectric with measur$4) and ((plates with capacitor) with (slot or opening or channel))	US-PGPUB; USPAT; USOCR	OR	OFF	2011/06/09 15:44
S157	58	(dielectric with measur$4) and ((plates with capacitor) with sample)	US-PGPUB; USPAT; USOCR	OR	OFF	2011/06/09 15:44
S158	172	(dielectric or capacitance) and ((plates with capacitor) with sample)	US-PGPUB; USPAT; USOCR	OR	OFF	2011/06/09 15:49
S159	0	(sample with chamber with slot with eject)	US-PGPUB; USPAT; USOCR	OR	OFF	2011/06/09 15:53
S160	1	(sample with volume with slot with eject)	US-PGPUB; USPAT; USOCR	OR	OFF	2011/06/09 15:54
S161	12	(test with position with (slot or opening) with eject)	US-PGPUB; USPAT; USOCR	OR	OFF	2011/06/09 15:54
S162	0	jewel with inlay with inspection	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/09 17:36
S163	31	jewel with inspection	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/09 17:37
S164	24	(cd with packag$3 with inspect$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/09 17:39
S165	14	("3894806" | "4209802" | "5256871" | "5305099" | "5311304" | "5452080" | "5532739").PN. OR ("5714998"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/06/09 17:46
S166	477	(cd with inspect$3) and light and sensor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/09 17:48

S167	17	(cd with inspect$3) and (light adj sensor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/09 17:48
S168	16	(cd with inspect$3) and light and sensor and conveyor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/09 17:49
S169	328	(package with inspect$3) and light and sensor and conveyor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/09 17:51
S170	177	(package with inspect$3) and light and sensor and conveyor and (through with package)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/09 17:51
S171	3	(light adj source) with receiver with conveyer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/09 18:03
S172	54	photoelectric with (transparent or clear) with conveyor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/09 18:04
S173	6	("3792930" | "5072108" | "5459330" | "5734467").PN. OR ("6018159"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/06/09 18:10
S174	36	photoelectric with (empty with full)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/09 18:12
S175	70	(photoelectric or photo-electric or optical) same(empty with full) same conveyor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/09 18:13
S176	2400	(photoelectric or photo-electric or optical) same (empty or full or transparent or clear) same conveyor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/09 18:15

S177	1778	S176 and light	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/09 18:15
S178	42	S176 and (light adj sensor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/09 18:16
S179	3	S176 and brewster	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/09 18:23
S180	42	S176 and (light adj sensor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/09 18:23
S181	210	S176 and label	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/09 18:26
S182	37	S176 and (label with detect$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/09 18:26
S183	77	S176 and ((clear or translucent) with (package or container))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/09 18:30
S184	0	S176 and ((clear or translucent) with (package or container) with label)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/09 18:38
S185	0	((clear or translucent) with (package or container) with label) and (light with interrupt)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/09 18:38

S186	40	((clear or translucent) with (package or container)) and (light with interrupt)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/09 18:38
S187	1834	(light near2 through) and inspect and defective	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/09 18:40
S188	72	(light near2 through) and inspect and defective with conveyor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/09 18:40
S189	3	"3,327,207".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/09 20:50
S190	14	(conveyor with (defective or discard or reject) with arm with bin)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/10 10:44
S191	146	(conveyor with (defective or discard or reject) with (actuator or diverter))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/10 10:48
S192	197	(conveyor with (defective or discard or reject) with (actuator or ejector))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/10 10:52
S193	2	((conveyor or belt) with (defective or discard or reject) with (actuator or ejector) with opening)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/10 10:58
S194	780	(conveyor or belt) with opening with fall with through	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/10 10:58

S195	0	(conveyor or belt) with opening with fall with through with defect$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/10 10:59
S196	3703	(conveyor or belt) with opening with through with discharge	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/10 10:59
S197	2	(conveyor or belt) with opening with through with discharge with defective	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/10 10:59
S198	45505	(conveyor or belt) near5 (opening or hole)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/10 11:00
S199	55	S198 with sort	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/10 11:00
S200	203	(twin adj belt) and conveyor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/10 11:01
S201	16	("4671402" | "4712665" | "4723356" | "4750605" | "4763773").PN. OR ("4850472").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/06/10 11:07
S202	209	(dual adj belt) and conveyor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/10 11:11
S203	15	("1288125" | "1826379" | "2758728" | "3242342" | "3360099" | "3554351" | "3618740" | "3928114" | "3952874" | "4029194").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/06/10 11:16
S204	2956	(fall with between with conveyor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/10 11:24

S205	41	(fall with between with conveyor with track)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/10 11:24
S206	2389	conveyor with (circuit adj board)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/10 11:27
S207	15	conveyor with (circuit adj board) with tracks	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/10 11:27
S208	0	conveyor with discharge with defect with fall with through	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/10 11:30
S209	2	conveyor with discharge with defect $3 with fall with through	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/10 11:30
S210	97	conveyor with defect$3 with divert$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/10 11:31
S211	1	conveyor with defect$3 with actuator with board	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/10 11:31
S212	41	(conveyor or belt) with defect$3 with actuator	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/10 11:32
S213	190	(conveyor or belt) with inspect$3 with rail	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/10 11:34

S214	366	(conveyor or belt) with inspect$3 with (rail or track)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR		OFF	2011/06/10 11:34
S215	5	(conveyor or belt) with inspect$3 with (rail or track) with eject$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR		OFF	2011/06/10 11:35
S216	16	(conveyor or belt) with inspect$3 with (rail or track) with defect$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR		OFF	2011/06/10 11:35
S217	900	(conveyor or belt) with inspect$3 and (rail or track) and fall	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR		OFF	2011/06/10 11:37
S218	100	(conveyor or belt) with inspect$3 and (rail or track) and (fall adj (through or between))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR		OFF	2011/06/10 11:37
S219	45424	(fall adj (through or between)) or (discharg$3 adj (through or between)) and (convey or belt) and defect	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR		OFF	2011/06/10 11:45
S220	47113	(fall adj (through or between)) or (discharg$3 adj (through or between)) and (convey or belt) and defect$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR		OFF	2011/06/10 11:45
S221	47093	(fall adj (through or between)) or (discharg$3 adj (through or between)) and (conveyor or belt) and defect$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR		OFF	2011/06/10 11:45
S222	3451	((fall adj (through or between)) or (discharg$3 adj (through or between))) and (conveyor or belt) and defect$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR		OFF	2011/06/10 11:46

S223	452	(((fall adj (through or between)) or (discharg$3 adj (through or between))) and (conveyor or belt) and defect$3 and actuator	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/10 11:46
S224	16	(((fall adj (through or between)) or (discharg$3 adj (through or between))) with defect$3) and (conveyor or belt) and actuator	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/10 11:47
S225	10	(((fall adj (through or between)) or (discharg$3 adj (through or between))) with defect$3) and (rails) and actuator	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/10 11:52
S226	13	(((fall adj (through or between)) or (discharg$3 adj (through or between))) with defect$3) and (rail or track) and actuator	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/10 11:52
S227	24	(((fall adj (through or between)) or (discharg$3 adj (through or between))) with defect$3) and (rail or track) and inspect$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/10 11:52
S228	56	(((fall adj (through or between)) or (discharg$3 adj (through or between))) with defect$3) and (rail or track or guide) and inspect$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/10 11:55
S229	47	(((fall adj (through or between)) or (discharg$3 adj (through or between))) with defect$3) and inspect	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/10 12:00
S230	24	(((fall adj (through or between)) or (discharg$3 adj (through or between))) with defect$3) with opening	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/10 12:02
S231	34	(((fall adj (through or between)) or (discharg$3 adj (through or between))) with defect$3) with inspect $3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/10 12:03

S232	405	defect and (wafer or semiconductor) and (through near3 belt)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/10 12:07
S233	26	defect and (wafer or semiconductor) and (through near3 belt) and inspect	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/10 12:08
S234	3	defect with (through near3 belt) and inspect	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/10 12:11
S235	12	defect with (through near3 (belt or conveyor)) and inspect	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/10 12:13
S236	40	defect$3 with (through near3 (belt or conveyor)) and inspect	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/10 12:14
S237	1771	defect$3 with wafer with inspect	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/10 12:18
S238	1	defect$3 with wafer with inspect with fall	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/10 12:18
S239	2	defect$3 with semiconductor with inspect with fall	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/10 12:18
S240	2	defect$3 with semiconductor with inspect with (conveyor or belt)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/10 12:19

S241	0	defect$3 with semi-conductor with inspect with (conveyor or belt)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/10 12:19
S242	9	defect$3 with semiconductor with inspect$3 with (conveyor or belt)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/10 12:20
S243	56	defect$3 with remove with inspect$3 with (conveyor or belt)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/10 12:22
S244	11	(fall with between with conveyor) with defect$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/10 13:30
S245	5	(fall with between with belt) with defect$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/10 13:45
S246	3	(discharge with between with track) with defect$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/10 13:51
S247	20	(discharge with between with guide) with defect$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/10 13:51
S248	529	(discharge near3 through near3 belt)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/10 13:52
S249	704	(discharge near3 between near3 belt)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/10 13:52

S250	7	(discharge near3 between near3 belt) with defect	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/10 13:53
S251	10	(discharge near3 between near3 belt) with defect$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/10 13:53
S252	0	(fall near3 between near3 belt) with defect$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/10 13:53
S253	0	(fall near3 between near3 conveyer) with defect$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/10 13:54
S254	0	(fall near3 between near3 conveyer) same defect	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/10 13:54
S255	1	(fall near3 between near3 conveyer) same inspect$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/10 13:54
S256	432	(fall near3 between near3 convey$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/10 13:55
S257	1	(fall near3 between near3 convey$3) with defec$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/10 13:55
S258	3	(discharg$3 near3 between near3 convey$3) with defec$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/10 13:55

S259	12	"3327207"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/10 14:21
S260	3	"3327207".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/06/10 14:22
S261	6	(US-6434264-$ or US-4914377-$ or US-4193116-$ or US-3327207-$).did. or (US-3529167-$).did. or (US-5714998-$).did.	USPAT; USOCR; DERWENT	OR	OFF	2011/06/10 14:25

6/10/2011 3:25:01 PM
C:\ Documents and Settings\ dmiller3\ My Documents\ EAST\ Workspaces\ 12-599,231 System and Method for Package Inspection.wsp